99

# Securitron<sup>®</sup> M32, M62, M82 Magnalock<sup>®</sup> Accessories

## ASB Aluminum Spacer Bracket

- Use when a blade stop requires the Magnalock to be lowered
- Comes pre-drilled for the mounting bolts and wire
- Provides a blind nut for surface installation of strike
- Available in clear aluminum or black anodized
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty



#### Part Number | Description

ASB-32BK	Alum Frame Spacer Bracket - M32, Black Anodized
ASB-32CL	Alum Frame Spacer Bracket - M32, Clear Anodized
ASB-62BK	Alum Frame Spacer Bracket - M62, Black Anodized
ASB-62CL	Alum Frame Spacer Bracket - M62, Clear Anodized

### Part Number | Description

SB-82BK2	Alum Frame Spacer Bracket - M82, Black Anodized
SB-82CL	Alum Frame Spacer Bracket - M82, Clear Anodized
SCWB-DM62CL	Alum 1 -1/2" Spacer - Concrete Wood Bracket, DM62, Clear

## **CWB** Concrete Wood Bracket

- Used on wood or concrete filled metal frames
- Provides a concealed wire chamber
- Available in clear aluminum or black anodized
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty





## LIFE MagnaCare Warranty

### Part Number | Description

CWB-32BK	Concrete/Wood Bracket - M32, Black Anodized
CWB-32CL	Concrete/Wood Bracket - M32, Clear Anodized
CWB-62BK	Concrete/Wood Bracket - M62, Black Anodizedr

### Part Number | Description

CWB-62CL	Concrete/Wood Bracket - M62, Clear Anodized
CWB-82BK	Concrete/Wood Bracket - M82, Black Anodized
CWB-82CL	Concrete/Wood Bracket - M82, Clear Anodized



## Securitron M32/62/82 Magnalock Accessories continued

## **AOS Offset Strike Plate**

- Alters the position of the mounting hole by 1/4" [6mm]. This is often required to clear the glass on aluminum frame store front doors
- Includes Offset Strike Plate only
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty



#### Part Number | Description

AOS-62	Strike Plate - M62, Offset
AOS-62D	Strike Plate - M62D, Offset
AOS-82	Strike Plate - M82, Offset

Strike Plate M32 - Split Set w/ Fasteners & Sex Bolt

Strike Plate M62 - Split Set w/ Fasteners & Sex Bolt

Strike Plate M82 - Split Set w/Fasteners & Sex Bolt

Part Number | Description

ASS-32

**ASS-62** 

**ASS-82** 

## ASS Split Strike/ Replacement Strike Plate

- Allows a single M32, M62 or M82 Magnalock to secure a double door at traffic control holding force level
- Includes Split Strike Plates only
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty

## ZA Z Bracket Kits - Adjustable

- Use on in-swing doors with Magnalock "F" options (8-1/2" overall length)
- Provides 1-1/4" of lateral movement to accommodate most openings and allows for precision adjustments (2-1/4"to 3-1/2" from door/header)
- Includes an oversized dress cover
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty





#### Part Number | Description

ZA-32/62BK	Adjustable Z-Bracket - M32/62, Black Anodized
ZA-32/62CL	Adjustable Z-Bracket - M32/62, Clear Anodized
ZA-32/62SS	Adjustable Z-Bracket - M32/62, Satin Stainless

#### Part Number | Description

ZA-82BK	Adjustable Z-Bracket - M82, Black Anodized
ZA-82CL	Adjustable Z-Bracket - M82, Clear Anodized
ZA-82SS	Adjustable Z-Bracket - M82, Satin Stainless

assaabloyesh.com | 800.626.7590 10027 S. 51st Street Phoenix, AZ 85044 USA

I IFI

Patent pending and/or patent assaabloydss.com/patents

## Securitron M32/62/82 Magnalock<sup>®</sup> Accessories

## EASB Energy **Absorbing Sex Bolt**

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- **Replaces the standard Sex Bolt**
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty





#### Part Number | Description

EASB-250	Energy Absorbing Bolt - 1/4" Spacer Kit
EASB-32	Energy Absorbing Sex Bolt - Model 32

#### Part Number | Description

EASB-62	Energy Absorbing Sex Bolt - Model 62
EASB-82	Energy Absorbing Sex Bolt - Model 82

### **TDK-1** Accessory for Thick Doors

- Provides replacement screws so armature plates for the M32, M62, M82, M38 and M68 can be used on doors thicker than 1-3/4", and up to 3"
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty



#### Part Number | Description TDK-1

Thick Door Kit

## SB-1 Sex Bolt Replacement

- Replaces armature plate sex bolt for M32, M38, M62, M68, and M82B Magnalocks
- Available in clear, polished brass or oil rubbed bronze finish
- MagnaCare® lifetime replacement, no fault, no questions asked warrantyy



#### Part Number | Description

SB-1	Sex Bolt - Replacement, Clear
SB-1-03	Sex Bolt - Replacement, Polished Brass
SB-1-10B	Sex Bolt - Replacement, Oil-Rubbed Bronze





## Securitron M32/62/82 Magnalock Accessories continued

## DC Dress Covers

- Use with M32, M62, and M82
- Install using foam adhesive tape
- Available in clear, black, polished stainless and polished brass finish
- MMagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty

#### Part Number | Description

DC-32BK	DC - M32, Black Anodized
DC-32BP	DC - M32, Brass Polished
DC-32CL	DC - M32, Clear Anodized
DC-32SP	DC - M32, Stainless Polished
DC-62BK	DC - M62, Black Anodized
DC-62BP	DC - M62, Brass Polished



#### Part Number | Description

DC-62CL	DC - M62, Clear Anodized
DC-62SP	DC - M62, Stainless Polished
DC-82BK	DC - M82, Black Anodized
DC-82BP	DC - M82, Brass Polished
DC-82CL	DC - M82, Clear Anodized
DC-82SP	DC - M82, Stainless Polished

## DDC Double Dress Covers

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- Replaces the standard Sex Bolt
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty



#### Part Number | Description

DC-32BK	DC - M32, Black Anodized		
DC-32BP	DC - M32, Brass Polished		
DC-32CL	DC - M32, Clear Anodized		
DC-32SP	DC - M32, Stainless Polished		



**Electromagnetic Locks** 

## Securitron M32/62/82 Magnalock<sup>®</sup> Accessories

103

## HHD / HHSL / HHSR / HVD Full Length Housings

- Vertical or horizontal configurations
- Fit one or two locks (not included)
- (SLR) Single Left Hand Reverse
- (SRR) Single Right Hand Reverse
- MagnaCare<sup>®</sup> lifetime replacement, no fault, no questions asked warranty





Part Number   Description			
HHD-32	Lock Housing for M32 - Dbl. Horizontal		
HHD-62	Lock Housing for M62 - Dbl. Horizontal		
HHD-82	Lock Housing for M82 - Dbl. Horizontal		
HHSL-32	Lock Housing for M32 - SLR Horizontal		
HHSL-62	Lock Housing for M62 - SLR Horizontal		

#### Part Number | Description

HHSR-32	Lock Housing for M32 - SRR Horizontal
HHSR-62	Lock Housing for M62 - SRR Horizontal
HVD-32	Lock Housing for M32 - Dbl. Vertical
HVD-62	Lock Housing for M62 - Dbl. Vertical
HVD-82	Lock Housing for M82 - Dbl. Vertical

Model	А	В	С	Max Length*
HHD-32	1.75"	2.1"	2.35"	96"
HHD-62	2.1"	2.6"	3.5"	96"
HHD-82	2.1"	2.6"	3.5"	96"
HHSL-32	1.75"	2.1"	2.35"	48"
HHSL-62	2.1"	2.6"	3.5"	48"
HHSR-32	1.75"	2.1"	2.35"	48"
HHSR-62	2.1"	2.6"	3.5"	48"
HVD-32	1.75"	2.1"	2.35"	96"
HVD-62	2.1"	2.6"	3.5"	96"
HVD-82	2.1"	2.6"	3.5"	96"

\*Full length housings are individually manufactured to custom specifications up to the maximum length shown.

### How to Order Specify quantity and the following information. Order related products separately.



Model Series	Mounting Method	Monitoring Options Specify Length	
HHD	-32	(83")	
HHD	32	HHD Max Length 96"	
HHSL	62	HHD Max Length 96"	
HHSR	82	HHSR Max Length 48"	
HVD		HVD Max Length 96"	

### ASSA ABLOY