CODE KEY FOR **ABLOY®** PRODUCTS



ABLOY® PADLOCKS ABLOY® INDUSTRIAL LOCKS ABLOY® CYLINDERS ABLOY® RIM LOCKS ABLOY® RIM LOCK CASES ABLOY® ELECTRIC LOCKS ABLOY® DOOR CLOSERS/ FIRE DOOR CLOSERS ABLOY® DOOR AUTOMATICS ABLOY® ARCHITECTURAL HARDWARE



CODE KEY FOR ABLOY® PRODUCTS





CYLINDER TYPE

PRODUCT VERSION

С 123456789

PRODUCT GROUPS

EPLCLIQ electromechanical industrial productsCY, CYPMechanical door cylindersCYL, CYLPCLIQ door cylindersRIRim locks and rim lock casesELElectric locksBLBattery locksPEPanic EXIT locksMPMultipoint locksDCDoor closersFDFire door closersDADoor AutomaticsDHDoor pullsFHInterior hardwareLHEscutcheons and cover plates, turnknobs	PLLWCLIGOFMecOFLCLIGCLMecCLCLIGSCMecSCLCLIGEPElectEPLCLIGCY, CYPMecCYL, CYLPCLIGRIRim IELElectBLBatterPEPanieMPMulti	hanical door cylinders door cylinders ocks and rim lock cases ric locks ery locks c EXIT locks point locks
--	--	--

CYLINDER TYPES

ABLOY® PADLOCKS

PL 350 B 1 PLI, PLM, PLLW	23	4	56	7	89
FINISHING 0 = unplated 1 = chrome plated 9 = special TYPE OF ASSEMBLY	2				
1 = keyed differently (KD) 2 = master keyed (MK) 3 = unassembled (UA) 5 = keyed alike (KA)					
CYLINDER TYPES	3				
1 = ABLOY CLASSIC (C) 2 = ABLOY PROFILE (P) 4 = ABLOY DISKLOCK PRO (D) 5 = ABLOY EXEC (E) 6 = ABLOY PROTEC (N) 8 = ABLOY PROTEC ² (T) 9 = ABLOY NOVEL (U) B = ABLOY SENTRY (B)					
PACKAGING		4			
0 = standard 1 = DPP (Fin/Swe) display pac 2 = DPP (Eng/Fra) display pac 4 = Customer specific packin	ck				
SPECIAL ASSEMBLY		5			
0 = standard 2 = w/o keys and filling 5 = lockbody package 6 = w/o keys/key blanks 7 = unprogrammed and unstamped CLIQ (LFP) 9 = special	FILLING 0 = non-rekeyc 1 = rekeyable 2 = w/o cylind 9 = special		6		
SHACKLE LENGTH				7	
2 = 25 mm 5 = 100 mm 5 = 50 mm 9 = special	SHACKLE MATERIA 1 = steel 3 = brass 5 = stainless steel	L	SPEC	CIAL	
	9 = special				



ABLOY® CYLINDERS	2 3 4 5 6 7
CYP, CYL, CYLP FINISHING 1 = bright chrome 2 = satin chrome 3 = bright brass (M) 4 = satin brass (HM, HMN) (5 = brown oxidized R) 6 = white (RAL 9010) (7 = plated satin brass) 8 = bright satin chrome (HK, RST) 9 = unplated (UNP) 0 = special finishing (A = stainless steel (RST)) B = brushed nickel (HN) C = antique bronze (APR) D = white antimicrobic (ACT V, RAL 9010) E = grey antimicrobic (ACT H, RAL 7038) F = blue antimicrobic (ACT S, RAL 7031)	
N = dark chrome (DCr) TYPE OF ASSEMBLY 1 = keyed differently (KD) 2 = master keyed (MK) 3 = unassembled (UA) 5 = keyed alike (KA) CYLINDER TYPES 1 = ABLOY CLASSIC (C) 2 = ABLOY PROFILE (P) 4 = ABLOY DISKLOCK PRO (D) 5 = ABLOY PROFILE (P) 4 = ABLOY DISKLOCK PRO (D) 5 = ABLOY PROTEC (N) 8 = ABLOY PROTEC (N) 8 = ABLOY PROTEC ² (T) 9 = ABLOY NOVEL (U)	2
PACKAGING 0 = standard 1 = DPP display pack 9 = special 0 = standard 1 = standard door dimens 2 = w/o keys and filling 5 = right handed function 6 = w/o keys 7 = w/o certain part 9 = special	
0 = not specified 4 = brass cylinder w/stainless steel fitting 5 = brass cylinder w/brass fitting 6 = steel cylinder, fitting not specified 7 = brass cylinder w/steel fitting 8 = brass cylinder w/zinc fitting 9 = zinc cylinder, fitting not specified	SPECIFIC FEATURE71 = w/o fixing pin (Europrofile cylinders)3 = special4 = CLIQ cylinder w/o electronics7 = unprogrammed and unstamped CLIQ (LFP)

- 1 = w/o fixing pin (Europrofile cylinders)
 3 = special
 4 = CLIQ cylinder w/o electronics
 7 = unprogrammed and unstamped CLIQ (LFP)

ABLOY® RIM LOCKS

RI 010 C	1	2	3	4	5	6	7
FINISHING OF CYLINDER							
1 = chrome plated (K) 2 = satin chrome (H) 3 = bright brass (M)							
TYPE OF ASSEMBLY		2					
1 = keyed differently (KD)							
CYLINDER TYPES			3				
1 = ABLOY CLASSIC (C) 6 = ABLOY PROTEC (N) 8 = ABLOY PROTEC ² (T) 9 = ABLOY NOVEL (U)							
PACKAGING				4			
1= Carton 4 = DPP display pack							
FEATURES					5		
0 = standard							
HANDING						6	
1 = 1.2 (inwards, 1 = left, 2 = rig 3 = 3.4 (outwards, 3 = left, 4 = ri							
STRIKER PLATE OR KEEP							7
0 = w/o striker plate or keep 1 = RI401 striker plate, standard 2 = RI402 striker plate, wide 5 = RI410 striker plate, wooden o 6 = RI411 striker plate, profile do							

ABLOY® RIM LOCK CASES

RI 201	1	2	3	4	5	6	7
FINISHING OF THUMBTURN/ LOCK CASE	1						
1 = bright chrome/black							
TYPE OF ASSEMBLY		2					
1 = standard							
NOT SPECIFIED			3				
PACKAGING				4			
0 = Industrial package 1 = carton w/EAN sticker							
SPECIAL FEATURE					5		
0 = standard 1 = w/o fixing screws							
HANDING							
1 = 1.2 (inwards, 1 = left, 2 3 = 3.4 (outwards, 3 = left, 4	= right) 1 = right)					0	
STRIKER PLATE OR KEEP							7
0 = w/o striker plate or kee 1 = RI401 striker plate, star							

- 1 = RI401 striker plate, standard 2 = RI402 striker plate, wide
- 5 = RI410 striker plate, wooden doors
- 6 = RI411 striker plate, profile doors

ABLOY® HANDLE CONTROLLED LOCKS/EXAMPLE EL560

EL = electric lock, BL = battery lock, PE = panic exit model



ABLOY® MOTOR LOCKS/EXAMPLE EL520

EL = electric lock, PE = panic exit lock, MP = multipoint lock



ABLOY® DOOR CLOSERS/FIRE DOOR CLOSERS

DC/FD 240	1	2	3	4	5	6
COLOUR						
0 = zinc plated 1 = aluminium 2 = brass 3 = stainless steel 4 = black 5 = brown 6 = white 7 = bright chrome 8 = special RAL colour 9 = bright brass						
FEATURES		2				
0 = no alternatives 1 = standard 2 = back check (BC) 3 = delayed closing (DC) 4 = BC + DC						
PACKAGING			B			
0 = w/o arm 1 = w/OEM arm						
CUSTOMER SPECIFIC FEATURE	S			4		
FEATURES					5	
0 = no specific feature 1 = anticorrosion version						
FEATURES						6
0 – no specific feature						_

0 = no specific feature 1 - 9 = customer specific features

ABLOY® DOOR AUTOMATICS



0 = no handing

1 = closing side 2 = opening side

ABLOY® DOOR HANDLES

EH = EXIT handles

DH 004

FINISHING

- 0 = Undefined
- 1 = Cr Chrome
- 2 = HCr Satin chrome
- 3 = KiLa Polished lacquered
- 4 = HaLa Brushed lacquered
- 5 = Aho Anodised
- 6 = V Powder coating white (jva)
- 7 = KuLa Gold lacquered
- 8 = Brushed chrome (hk)
- 9 = Special finish
- A = Rst Stainless steel
- B = Zn NiHa Brushed nickel
- C = Apr Antique bronze
- D = Act V/white, antimicrobial white
- E = Act H/grey, antimicrobial grey
- F = Act S/blue, antimicrobial blue
- G = AmHa Antique brass brushed
- H = PR Bronze
- I = Mus/Black Powder coating black (jmu)
- J = Zn Zinc finish
- K = Cr/Mus, chrome black (PARLAMENT)
- L = Har/grey Powder coating grey (jha)
- M = Brass (me)

12

- N = DCr, Dark chrome
- R = GRa/graphite Powder coating graphite

RAW MATERIAL

- 0 = Not specified
- 1 = Aluminium
- 2 = empty
- 3 = empty
- 4 = Stainless steel
- 5 = Brass
- 6 = Steel
- 7 = empty
- 8 = Plastic
- 9 = Zinc

PACKAGING

- 0 = Standard
- 1 = DIY
- 2 = DPP (cardboard)
- 3 = DPP (plastic)
- 4 = Installation package
- 5 = Customised packaging
- (quantity, package etc.)
- 6 = Baltics DIY
- 7 = Baltics DPP display pack

PRODUCT OUTLOOK

- 0 = Undefined
- 1 = Handle (inside)
- 2 = Handle (outside)
- 3 = Handle pair
- 4 = Mobile spindle

ABLOY® DOOR HANDLES

EH = EXIT handles

EH = EXII hanales	6 7 8	9
HANDEDNESS50 = Undefined1 = left2 = right		
ESCUTCHEONS 0 = Empty 1 = LH001 2 = LH002 3 = LH032/LH0321 4 = LH004 5 = LH014 6 = LH065 7 = LH007 8 = LH008 9 = LH019 A = LH010 B = LH030 C = LH630 D = LH3204 E = LH4939 F = LH562 G = LH552		
DOORWIDTH/SPINDLE LENGTH $0 = 40$ $8x43$ $1 = 41 - 60$ $8x23$ $2 = 50$ $8x33$ $3 = 51 - 60$ $8x35$ $4 = 60$ $8x48$ $5 = 61 - 80$ $8x53$ $6 = 70$ $8x63$ $7 = 80$ $7x16$ $8 = 90$ $7x23$ $9 =$ UndefinedA $7x25$ B $7x33$ C $7x35$ D $7x42$ E $7x43$ F $7x48$ G $7x53$	EXTRA ESCUTCHEON PAIR 0 Door handle escutcheon 1 P-escutcheon 2 A-escutcheon 3 BB-escutcheon 3 BB-escutcheon 5 O-escutcheon 6 PZ-BL 7 Toilet-escutcheon 0 = standard 1 = Customised	9

ABLOY® DOOR PULLS



2 = Pull pair (LK)

ABLOY® DOOR PULLS

5	6789
HANDEDNESS 0 = Undefined 1 = left 2 = right	
PULL LENGTH 0 Shortest possible length 100 1 150 2 160 3 200 4 210 5 250 6 300 7 400 8 500 9 600 A 700 B 800 C 900 D 1000 E 1100 F 1200 G 1400 H 1600 I 1800 J 2000 K 2200	
PULL DIAMETER 0 Undefined	
1 8 2 12 3 20 4 24 5 25 6 28 7 30 8 40	INSTALLATION METHOD S 0 = undefined 1 = 2 fastenings 1 = 2 fastenings 2 = 3 fastenings 3 = R S Output 0 = standard 1 = customised

ABLOY® INTERIOR HARDWARE

FH 525	1 2 3
FINISHING	
0 = Undefined 1 = Cr Chrome	RAW MATERIAL
 2 = HCr Satin chrome 3 = KiLa Polished lacquered 4 = HaLa Brushed lacquered 5 = Aho Anodised 6 = V Powder coating white (jva) 7 = KuLa Gold lacquered 8 = Brushed chrome (hk) 9 = Special finish A = Rst Stainless steel B = Zn NiHa Brushed nickel 	0 = Undefined 1 = Aluminium 2 = empty 3 = empty 4 = Stainless steel 5 = Brass 6 = Steel 7 = empty 8 = Plastic 9 = Zinc
C = Apr Antique bronze D = Act V/white, antimicrobial	
white E = Act H/grey, antimicrobial	PACKAGING 3
grey F = Act S/blue, antimicrobial blue G = AmHa Antique brass brushed H = PR Bronze I = Mus/Black Powder coating	0 = Standard 1 = DIY 2 = DPP (cardboard) 3 = DPP (plastic) 4 = Installation package 5 = Customised packaging (quantity,
black (jmu) J = Zn Zinc finish K = Cr/Mus, chrome black	package etc.)
(PARLAMENT) L = Har/grey Powder coating	
grey (jha)	PRODUCT OUTLOOK
M = Brass (me) N = DCr, Dark chrome R = GRa (graphite Powder	0 = Undefined 1 = Installation (inside) 2 = Installation (outside)

- R = GRa/graphite Powder coating graphite
- 2 = Installation (outside) 3 = Product pair

ABLOY® INTERIOR HARDWARE

	5	6	7	8	9
HANDEDNESS 0 = undefined 1 = left 2 = right	5				
RAIL LENGTH, mm		6			
0 Undefined 1 410 2 600 3 610 4 700 5 800 6 900 7 1000 8 1200 9 1700 A 2100 B 2600 C 3000 D 4000 E 5000 F 6000					
EMPTY			7		
EMPTY				8	
CUSTOMISATION 0 = standard					9

0 = standard 1 = customised

ABLOY® ESCUTCHEONS AND COVER PLATES, TURNKNOBS

LH 001	I 2 3
FINISHING	
 0 = Undefined 1 = Cr Chrome 2 = HCr Satin chrome 3 = KiLa Polished lacquered 4 = HaLa Brushed lacquered 5 = Aho Anodised 6 = V Powder coating white (jva) 7 = KuLa Gold lacquered 8 = Brushed chrome (hk) 9 = Special finish A = Rst Stainless steel B = Zn NiHa Brushed nickel C = Apr Antique bronze D = Act V/white, antimicrobial white E = Act H/grey, antimicrobial grey F = Act S/blue, antimicrobial blue G = AmHa Antique brass brushed H = PR Bronze I = Mus/Black Powder coating black (jmu) J = Zn Zinc finish K = Cr/Mus, chrome black (PARLAMENT) L = Har/grey Powder coating grey (jha) M = Brass (me) N = DCr, Dark chrome 	RAW MATERIAL20Undefined1Aluminium2empty3empty4Stainless steel5Brass6Steel7empty8empty9Zinc PACKAGING 0 = Standard1 = DIY2 = DPP (cardboard)3 = DPP (plastic)4 = Installation package5 = Customisedpackaging (quantity,package etc.)

PRODUCT OUTLOOK



Δ

- 0 = Undefined
- 1 = Escutcheon (inside)
- 2 = Escutcheon (outside)
- 3 = Escutcheon pair



1 = customised



Abloy Oy is one of the leading manufacturers of locks, locking systems and architectural hardware and the world's leading developer of products in the field of electromechanical locking technology.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience. Abloy Oy Wahlforssinkatu 20 FI-80101 JOENSUU FINLAND Tel. +358 20 599 2501 www.abloy.com

